



Publication of the
Northern California
Contest Club



Issue 490

March 2013

Inside this issue:

NCCC March Awards	3
Award Photos	7
CQ WPX Contest	15
Filters for Contesting	16
W6T	26

Guests are always welcome at the NCCC!
Please join us.

Monday, 8 April


Meeting Agenda:
NCCC Elections
NCCC Year in Review: N6DE
WPX SSB preliminary results and stories: AD6E

Main program:
Practical Antenna Solutions for the Small NCCC
Station: W6SX and WU6W

Time:
6:00pm schmooze, 6:30pm dinner
7:00pm program

Location:
Harry's Hofbrau, 390 Saratoga Avenue, San Jose,
CA 95129 **(408) 243-0434**

Dinner: Purchase your dinner in the cafeteria line
and take your tray to the meeting room in the rear.



From the President

Dear NCCC Members,

On February 22, Stu K6TU announced that he stepped down as NCCC President.

Article IV, Section 2 of the NCCC Bylaws states "In the event the President becomes unable to fulfill his or her term of office, the Vice-President shall become the President for the remainder of the term."

<http://nccc.cc/members/pdf/bylaws-new-21FEB2013.pdf>

You elected me as your VP/CC for the 2012-2013 NCCC term. I accept my duty under the bylaws to serve as NCCC President from now until the end of my term (NCCC elections meeting on April 8, 2013).

I want to thank Stu K6TU for many hundreds of hours of service to the NCCC during his term as President, CQP volunteer and JUG Editor. His efforts will be missed.

NCCC members, let's continue to KB in contests and stay positive. By far our biggest strength as a club is you, the membership. Let's keep building on the positive momentum of the outstanding year that NCCC is having.

If you have any concerns or would like to discuss anything in the NCCC with me, please don't hesitate to contact me in email at cgden6de@gmail.com or call me on my cell phone at [\(408\) 202-9973](tel:4082029973).

Thank you for being an NCCC member!

73 and KB...

-Dean - N6DE



Northern California Contest Club

Excellence In Amateur Radio Contesting

Officers:

President	Dean Wood	N6DE	cqden6de@gmail.com
Vice President	Alan Maenchen	AD6E	ad6e@arrl.net
Secretary/Treasurer	Dave Ritchie	W6DR	nccc.treasurer@gmail.com
Past President	Chris Tate	N6WM	ctate@ewnetinc.com
Director	Kevin Rowett	K6TD	kevin@rowett.org
Director	John Miller	K6MM	k6mm@arrl.net
Director	Ira Stoler	K2RD	k2rd@arrl.net

Volunteers:

New Member Mentor	Al Rendon	WT6K	wt6k@arrl.net
Charter Member	Rusty Epps	W6OAT	w6oat@sbcglobal.net
Awards Chairs	Joanna Dilley	K6YL	joanna.k6yl@gmail.com
	Rebar Rebarchik	N6DB	rebar@hamilton.com
CQP Chair	Alan Eshleman	K6SRZ	doctore@well.com
CQP Certificates	Andy Faber	AE6Y	ae6y@arrl.net
K6ZM QSL Manager	George Daughters	K6GT	k6gt@arrl.net
K6CQP,N6CQP,W6CQP QSL Mgr	Ed Muns	W0YK	w0yk@arrl.net
NCCC Email reflector Admin	Phil Verinsky	W6PK	kb-w6tqg@verinsky.com
Webmaster	John Miller	K6MM	k6mm@arrl.net
JUG Editor	Ian Parker	W6TCP	w6tcpian@gmail.com

Thursday Night Contesting:

NCCC—Sprint	Ken Keeler	N6RO	kenkeeler@jazznut.com
NS Ladder	Bill Haddon	N6ZFO	haddon.bill@gmail.com
Slow NS (SNS)	Chris Tate	N6WM	ctate@ewnetinc.com

NCCC Net

Thursday 8 PM
 Freq: 3.610 +/-

NCCC

Monthly meetings take place on the second Monday of each month !

Details [here](#)

NCCC Membership Information

If you wish to join NCCC, you must fill out an [application for membership](#), which will be read and voted upon at the next monthly meeting. ([PDF application form](#))

To join, you must reside within [club territory](#) which is defined as the maximum of:

- Northern California, anything north of the Tehachapi's up to the Oregon border, and
- A part of north-western Nevada (anything within our ARRL 175-mile radius circle centered at 10 miles North of Auburn on Highway 49).

Dear NCCC Members,

When I took over as NCCC President, it created a vacancy in the Vice President/Contest Chair (VP/CC) position.

I would like to announce that I have appointed Alan AD6E as NCCC VP/CC, and the NCCC Board has ratified this appointment. Alan AD6E will be serving as our current VP/CC until the April 8 NCCC elections meeting.

Alan's primary role during this time will be to lead the NCCC in its focus contest effort for the upcoming CQ WPX SSB and CW contests. Alan is a VP/CC nominee for the 2013-2014 term, and this appointment allows Alan to get a valuable head start as VP/CC for a seamless transition across terms if he happens to be elected at the April 8 meeting. Alan is also the only NCCC member who unambiguously volunteered in the recent NCCC survey to lead a Sweepstakes 2013 effort.

I am excited to work with Alan AD6E. He has my full support and the Board's full support. Please welcome him.

73...

-Dean - N6DE

NCCC President

**NCCC March Awards Meeting Celebration Recap
by Dean Wood, N6DE**

The NCCC Awards Banquet was held on March 11 at the Tied House in Mountain View. Between attendees in person and attendees over the WebEx webcast, we had 69 total participants. Thank you for the outstanding turnout! This might be a record high attendance for an NCCC awards meeting.

We unanimously approved KW6S as a new member to NCCC! Welcome Tom!

ARRL Pacific Division Director, Bob W6RGG, and ARRL Pacific Division Vice Director, Jim K6JAT, gave an ARRL report.

CQP 2012 results were presented by Alan K6SRZ. CQP plaques and wine were awarded. Bottles of wine were also awarded to all CQP 2012 log checking volunteers and software development gurus.

Thanks to Jeff WK6I for the generous donation of the CQP wine again this year!

We then awarded plaques and certificates for Sweepstakes and the RTTY Roundup. We ended the evening by awarding several NCCC plaques for special efforts over the last year, and acknowledged the great job that our volunteers have done. We gave a standing ovation to our awards chair Joanna K6YL for doing an outstanding job with awards. CQP T-shirts were given out at the end of the meeting by Alan AD6E.

Thanks to Bob N6TV for capturing many pictures of the evening. See them at:

<https://picasaweb.google.com/rawilson/2013NCCCAwardsDinner02>

Here are a few reminders about NCCC awards and plaques:

- The NCCC Board was reminded by several NCCC members this year that eligibility for awards is to be a current dues paying NCCC member, and we were encouraged to enforce it this year, which we did.
Scores tracking for NCCC awards is done through the NCCC scores tables at: <http://nccc.cc/members/scores.html>
- These scores tables are populated by NCCC volunteers, based on your score posts to the NCCC reflector and to 3830. We inform you through emails to the NCCC reflector that the scores tables have been updated for various contests, giving all members the opportunity to correct any potential errors or omissions of their scores. Our award spreadsheets are based off of these NCCC score tables.
- If there was an error on your award, please contact me directly at cqden6de@gmail.com
- We solicited your input on NCCC special award recipient nominations through an awards survey link sent to the NCCC reflector. The Board then carefully reviewed all your feedback, Board members made their recommendations, and I made the final decision on these special awards.

Here is the list of award recipients. For more detailed background on what each award means, and how the award recipient earned the award, please look for a copy of the presentation on the NCCC web page in the future, which was displayed during the March 11 meeting.

California QSO Party

CQP Plaques for NCCC members:

Plaque Award	Winner
2 nd Place S/O CA	WC6H
3 rd Place S/O LP CA	N6ZFO
Top S/O QRP CA	W6JTI
Top M/S CA	K6C (Ops W1RH, AA1ON)
Top M/M CA	N6O (@N6RO) Ops: JN3NFQ, K3EST, K6AW, N6BV, N6RO, W6NOW, W6ONV, WA6O, WX5S
Top M/M County Expedition	W6T Ops: K6YL, N6DQ, K6WX, AA6XV, N6NU, K6RHO
Top YL CA	W6NN
Most CW QSOs CA	N6TV
Top Club CA	MLDXCC
Top School CA	W6YX

CQP Wine for NCCC members:

Wine Award	Winner(s)
2 nd Place S/O CA (New Calaveras County Record)	WC6H
4 th Place S/O CA (New Amador County Record)	AE6Y (@K6TA/K6KO)
6 th Place S/O CA	K6XX
7 th Place S/O CA (New San Mateo County Record)	NO6F (K2RD op)
9 th Place S/O CA	N6TV
12 th Place S/O CA	K6RIM
13 th Place S/O CA	N6IE
18 th Place S/O CA (New YL CA Record)	W6NN
19 th Place S/O CA	W6XU
20 th Place S/O CA (New Lake County Record)	N6ZFO
Outstanding Job as a Log Check Judge	W6OAT, K6XX, K6OK, K6DGW, W4UAT, AD6E, N6GY, W1RH, K6TU, KE1B, KM6I, N6NUL, NI6T, N6DE
Outstanding Job as a CQP Software Guru	WX5S, NS6T, W1SRD
Outstanding Job as CQP Chairman	K6SRZ
Outstanding Job as County Coordinator	N6TV
Outstanding Job as CQP Web Master	K6MM

continued on page 6

Sweepstakes

Accolade	Reward	Winner(s)
Jim Maxwell Sweepstakes Memorial Award & Sweepstakes Big Gun Award	Plaque	K6XX
Sweepstakes Little Gun Award	Plaque	N6YEU
Sweepstakes Gavel Bearer Station Award	Plaque	W7RN
KB-2500: first timer	Plaque	W7RN, W1SRD
KB-2500: repeat winner	Certificate	K6XX, WC6H, W6YX, AD6Z
KB-2000: first timer	Plaque	NQ6N, K7XC
KB-2000: repeat winner	Certificate	N6TV, KM6I
KB-1000: first timer	Plaque	N5KO, N6JS, W6DR
KB-1000: repeat winner	Certificate	K6MMM, N6XI, WX5S, N6ZFO, N7MH, WE6Z, K6LRN, W0YK, W6NL, W6OAT, N6RO, N6PN, K7GK, W6FB, N3ZZ, W6SX
KB-500	Certificate	ND2T, N6YEU, W1RH, KZ2V, N6RK, K6JEB, N6NZ, K6LRG, N6WM, K6MI, K6MM, K6OK, KD6WKY, W6LD, W6RGG, N6AJS, WA6O, N6XG, N9YS, N2NS, K6RB, KK6ZM
400K Point Station	Recognition	K6XX, W7RN, W6YX, AD6Z
400K Point Individual	Recognition	K6XX, WC6H, W1SRD
Shared Station Host	Recognition	W7RN, W6YX, AD6Z, K6MMM, W6NL, N6TV, W6DR, K6LRG, N2NS

continued on page 7

RTTY Roundup
(inside NCCC 175-mile circle)

Accolade	Reward	Winner(s)
Top M/S HP	Plaque	NW6P (Ops NW6P, N7MH, WX5S)
Top M/S LP	Plaque	NS6T
Top SO2R HP	Plaque	WK6I (@W7RN)
Top SO1R HP	Plaque	N6IE
Top SO1R LP	Plaque	K6GHA
Top SO2R LP	None	<no entrant>
Top Station Host	Plaque	W6YX (3 simultaneous M/S: W6YX, ND2T, N6DB)
RU-3000 & 400K Point Station	Certificate	W6YX
RU-2000	Plaque	W7RN, WK6I
RU-1000: first timer	Plaque	N6RO, NW6P, W1SRD, N2NS, W6DR, W1RH, W6OAT
RU-1000: repeat winner	Certificate	W6SX, N6IE, N6ML, K6LRG, N6DB, K9YC, K6MM
RU-500	Certificate	W6EU, K6KO, WE6Z, K3EST, KE1B, N7MH, WB6JJJ, W4UAT, K6GHA, N6DE, W6GJB, K6LRN, N6JV, WX6V, K6TD, K6MP, K6RB
Split Station Operator, aka: Operating Warrior	Recognition	N7MH (@NW6P and @K6TD)
Shared Station Host	Recognition	W6YX, W7RN, N6RO, NW6P, K6LRG, N2NS, W6OAT, W6DR, K6KO, KE1B, K6TD

continued on page 8

NCCC Special Awards and Recognition

Accolade	Reward	Winner(s)
CQWW DX Founders Award	Plaque	K6XX
Rookie of the Year	Plaque	NQ6N
Most Improved Contester	Plaque	K6MP
Operating Excellence CW	Plaque	K7GK
Operating Excellence SSB	Plaque	N6KT
Operating Excellence RTTY	Plaque	WK6I
Little Gun of the Year	Plaque	K6GHA
Contester of the Year	Plaque	N5KO
Elmer of the Year	Plaque	N6ML
Team Builder Award	Plaque	K9YC
Inspiration Award	Plaque	KM6I
Most Valuable Player	Plaque	K6MM
NCCC BoD Team	Thank You	AD6E, W6DR, K6MM, K2RD, K6TD, N6WM, K6TU
NCCC Awards Committee	Standing Ovation for K6YL	K6YL, N6DB
NCCC JUG Newsletter Editor	Thank You	W6TCP
NCCC CQP "Green" Team	Thank You	CQP "Green" Team
NCCC Sprint / SNS / Sprint Ladder Team	Thank You	NS/NSL "Blue" Team
NCCC Visalia and Pacificon Teams	Thank You	Members who help with NCCC booths, give presentations, and perform other volunteer work at conventions.



“Little Gun of the Year”—Don Taylor K6GHA



“Most Valuable Player” - John Miller K6MM



“Most Improved Contester” - Jake Whiting K6MP



© 2013 N6TV

“Contesting Excellence—CW Mode” - Denis Pochuev K7GK



“Team Builder” - Jim Brown K9YC



“Inspiration Award” - Gordon Good KM6I



“Operating Excellence—SSB Mode” - Rich Smith N6KT



**Joanna Dilley—K6YL
Awards Manager receiving a standing ovation**

All Photos courtesy of N6TV




This 1991 CQ WPX winning club plaque for NCCC comes from Gary VA7RR and Niki VE7NKL, by way of the estate of former NCCC President Louese KA6ING. This NCCC victory is believed to be our first in the CQ WPX club competition. Since then, we have won the WPX club competition several times. Please remember to be active in this year's CQ WPX SSB and CW contests. The SSB version is on March 29-31.

A Survey of Bandpass Filters for Contesting

By Jim K9YC

Introduction Several years ago, I ordered a pair of ICE 419B filter sets for use in my future SO2R station. It took a year to get them, they arrived not very well aligned, and both of them failed due to overheating within the first year or so. Good luck smiled on me, when N6RNO, who has no home station of his own, loaned me the two sets of W3NQN-built filters he had bought for our CQP expeditions to Tehama county, and I've been using them for several years now. I wanted to have my own filter sets, and when I heard of the TXBPF band-pass filter sets that Bob Henderson, 5B4AGN, had designed and was distributing in kit form, I put myself on the list for the next group purchase of kits. The kits arrived this fall, and I built them over a period of about three weeks this winter.

I really enjoyed building the filters, and learned a lot in the process. Naturally, I wanted to compare what I'd built with other filter sets, and put out a request on the NCCC reflector for the loan of other filters. ND2T loaned a pair of Dunestar 600 6-band sets he'd acquired used, and N6DE loaned three single-band Dunestar filters. I opened all of them up and studied their design, construction, and component selection, and I measured all of these filters using the DG8SAQ VNWA Vector Network Analyzer. What follows is a summary of what I think I've learned.



Construction: The W3NQN 6-band sets are built as individual band filters, connected between transceiver and power amplifier by an Array Solutions FM-6 switching matrix, one for each rig, with LMR240 jumpers between the filters and the FM-6.

The TXBPF 6-band filter set is built with plug-in modules that fit onto a motherboard, and all elements of the signal path utilize very well implemented microstrip wiring. Filters are switched onto the bus, one at a time, so that only the loss associated with one pair of relays is present at any time.

Figure 1
W3NQN filter (top) and TXBPF filter (lower)



Figure 2 – Dunestar 600 6-band filter set

The Dunestar 6-band set has individual filters permanently mounted to a motherboard with miniature RG-174-size coax between the filters and the relay-controlled bandswitch matrix. Cable shields are carried between filters and relays, but not between the relay matrix and chassis-mounted SO239 connectors.

The ICE 419B has six filters mounted to a single board, and the signal path is carried in series through relays that either bypass or switch the filter into the circuit.




Figure 3 – Dunestar 600 RF Switching

One of my two ICE 419B filter sets had a bad relay for the 80M filter that failed to make good contact until hit with TX power; after hitting it with TX power it passed signal on receive. Anecdotal reports from users noted that the ICE owner (now SK) advised drilling a hole in the cover of the relay and spraying the relay with De-Oxit, and my 419Bs came with that hole drilled. I did that with the 80M relay, and when I tried to measure that box, learned that all of the relays were flaky, and ended up spraying all of them. Even after multiple sprayings, operation remains erratic.




Figure 4 – ICE 419B 6-band Filter Set

Bypass Mode: If, like me, you operate 6M using a SteppIR, you might be concerned with how the switching matrix behaves in bypass mode. Performance is shown in the table.

<u>Filter Set</u>	<u>50 MHz Attenuation</u>	<u>50 MHz VSWR</u>
Array Solutions FM6	-0.3 dB	1.29:1
Dunestar 600	-0.17 dB	1.09:1
TXBPF	-0.08 dB	1.16:1
ICE 419B	Too erratic to measure (see text)	

The TXBPF filter set, (at right), has individual filter modules that plug onto a motherboard. Black rectangles near the left side of the photo are the bypass relays; the signal path between them is microstrip, and RG58, both center and shield, are wired to Amphenol flange-mount SO239 connectors.

The result is excellent bypass performance on 6M, the best of all packages measured. A band decoder and buffered relay drivers to switch external antenna relays is on a daughterboard mounted vertically behind the rear panel (at left in the photo).




Figure 5 – TXBPF Filter Set



Figure 6 – TXBPF (above), Dunestar 600 (center), 10M W3NQN-built filter (below)

Note: The photos of Figures 6 and 7 were intentionally taken with the filter sets very close together so that their relative sizes, and the sizes of their components, can be compared.




Figure 7 – ICE 419B (top) and Dunestar 600 (lower) Filter Sets

Filter Designs: The Dunestar filters are 2-pole designs, with tapped input and output resonator coils (connected as an auto transformer) to step up the filter impedance to a level where higher circuit Qs can be realized. The W3NQN-built filters and the TXBPF filters are 3-pole designs, also with tapped inductors as transformers, use of powdered iron cores for most of the inductors, improving their Q, and by making those input and output windings tri-filar or quadra-filar, which improves transformer coupling. The filters in the ICE 419 are simple 2-pole filters with small, un-tapped, air core inductors.

The 5B4AGN-designed TXBPF filters stick pretty closely to the designs published by W3NQN in his QST article. But like most highly creative people, W3NQN has continued to grow, and most of the W3NQN-built filters include nice modifications to his published designs that improve rejection of adjacent bands, generally at some sacrifice to rejection on other bands. Where the TXBPF filters and W3NQN-built filters differ, this is the primary reason.

Components and Power Ratings: All of the filter sets tested are nominally rated for CW or SSB operation at 200W PEP. Dunestar says that their filters should de-rated for RTTY operation, without saying how much, and this is good advice for all of the filters. These ratings imply low SWR at the point where the filter is inserted between the transceiver and the power amplifier – certainly under 2:1 – and dissipation within the filter can easily increase, potentially to destructive levels, with significant mismatch. Many (most?) ham power

amps can be driven to full power with 50 watts of drive, so filters actually built with components to justify the 200W rating should hold up well. The greatest stress on the filter occurs during a 100W contest, when the rig drives the antenna directly, and even greater when the SWR is high. See the reliability reports, later in this report.

It's always been true that careful component selection is critical to building reliable, high quality RF gear. I first learned this working as an EE student at RL Drake. Bob Drake taught me that "if you want to build filters and radios, you've got to wind all your own coils." Bob Henderson, 5B4AGN, reports that "Alas the generic deep red mica caps, which mostly originate in India these days have a higher than desirable ESR due to the presence of iron. These are mostly realistically rated at 500V with only limited preferred values available rated at 1kV. These caps are good for many RF purposes but not so good with power."

ICE filter sets utilize 1kV-rated capacitors for the lower frequency band filters, but only 500V filters for the higher frequency filters. All of the capacitors in the Dunestar filters whose ratings I could identify are 1kV-rated, and all but a few have NPO temperature stability ratings. Except for the 160M filters, all are ceramics. The W3NQN and TXBPF filters are the best built by far, very well designed, and using inductors and capacitors capable of handling the output of a 100W transceiver. They do this by using capacitors with higher voltage ratings and lower ESR (equivalent series resistance), and by winding inductors on larger cores, and on core materials best suited to the application. The TXBPF kits are shipped with excellent close tolerance, conservatively-rated SBH-series capacitors made by Tab Components in the UK, specifically intended for use in HF transmitting filter applications. They're not cheap – \$90 for the 18 caps needed for one 6-filter set. <http://www.tabmica.co.uk/page3.html>

Reliability: W3NQN-built filters have an excellent record for reliability. About the only way to fry one is to run it on the wrong band or in a system with high SWR, perhaps due to antenna failure. Anecdotal reports, mostly solicited on the PVRC and NCCC email reflectors, indicate that Dunestar and ICE filters for the higher bands, especially 15M and 10M, are prone to failure, nearly always one of the low cost ceramic capacitors in the input and output resonator circuits. A few ICE 419 and Dunestar 600 users have reported failure of a single relay, but especially in the Dunestar unit the problem does not seem to be widespread. The poor power handling of ICE filters is well known, and, in my judgment, they should never be used in a 100W contest barefoot, or at more than the 50W needed to drive most amplifiers. Some Dunestar users suggest that the 300 and 600 filters hold up OK at 100W CW and SSB, but RTTY at this level can cause failures. Owners of these filters might do well to rebuild the higher band filters with SBH capacitors from Tab Components. It could be tricky fitting them into the available space, and some realignment would be required.

Alignment: All of these filters are aligned by squeezing or stretching the spacing of turns on the inductors while watching a swept response on a spectrum analyzer or VNA. It's a learned skill and it can be a bit tedious to get it right, but serious effort is rewarded with lower VSWR and in-band attenuation, and increased reliability.

Rejection of AM Broadcast Signals: The Dunestar, TXBPF, and W3NQN-built 160M filters all provided good rejection of AM broadcast signals, nearly as good as the dedicated ICE BCB filter, and the W3NQN and TXBPF filters for higher bands are far better. 160M filter rejection at 1 MHz was -47dB for the Dunestars, -39 dB for the ICE 419s, and -42dB for the TXBPF and W3NQN-built sets. Rejection of the ICE BCB filter is -58.5dB at 1 MHz. With any of these filters, you're far less likely to need a dedicated AM broadcast filter unless you've got a close-in neighbor above about 1300 kHz.

Insertion Loss: Insertion loss is a function of both filter design and alignment – a filter that is out of alignment will have greater insertion loss than the same filter properly tuned. Taking circuit complexity into account, filters using powdered iron cores tend to have lower insertion loss than those using air core inductors, especially on the lower HF bands. As a group, the W3NQN and TXBPF filter sets have the lowest insertion loss. Dunestar and ICE filters use air core inductors, Dunestar filters have relatively high insertion loss on lower bands and the highest insertion loss overall, but fairly good attenuation performance. The ICE filters have fairly low insertion loss (partly because they are the simplest filters), but the poorest attenuation, because they are the simplest filters.

Attenuation Performance: There are several ways to view the attenuation curves. Looking at overall attenuation outside the passband, the W3NQN filters rank first, the TXBPF set second, the Dunestar filters a notch below them, and the ICE 419B filter set a very distant fourth. But there's another important perspective – attenuation on the first adjacent bands, since that's how we contest most of the time. Studying adjacent band performance, the differences are surprising. Some filters that rate poorly for overall suppression outside the passband are superior performers on the first adjacent band! Note, for example, the superior 160M suppression of the Dunestar 80M filter, the 80M suppression of the 40M Dunestar, the 15M suppression of the 20M Dunestar, the 10M suppression of the 15M Dunestar. With few exceptions, the W3NQN-built individual band filters have the best adjacent band suppression, thanks to refinements to his designs after publication of his QST article on filters. Depending on the arrangement of your antennas and the coupling between them under various operating scenarios, you may choose one set of filters over another.

Executive Summary and Recommendations: If cost is no object and you don't have the time or skills to build your own, the **W3NQN-built filters** distributed by Array Solutions, with the addition of one of the several switching matrices Array Solutions offers, are the best performers. The two filter sets I tested were very well built and aligned. Approximate cost of the package I tested – six filters, the FM-6 switching matrix, and Elecraft KRC2 band decoder, is about \$1100 (plus tax and shipping).

The **Dunestar 600** is second best of the “ready built” filter sets, which, with a KRC2 band decoder costs about \$600 (plus tax and shipping). Overall performance is a good notch below the W3NQN-built filters, at about one half the cost, but their narrower bandwidth yields excellent adjacent band suppression. Insertion loss tends to be high, especially on the lower bands, the 160M, 80M, and 10M filters cover only the lower half of those bands, and alignment of the two filter sets I tested could have been better (possibly because these filters have a lot of hours on them in a contesting station). This is important, because these filters are much narrower than all others tested.

The **TXBPF filter set**, which includes a band decoder and buffered relay driver in a package about the same size as the Dunestar set, costs about \$420 (tax and shipping included), yields performance that falls between the individual W3NQN-built filters and the Dunestar 600, at about one third the cost of the W3NQN set and about \$200 less than the Dunestar 600. The TXBPF's only weak spots are somewhat inferior adjacent band performance of a few higher band filters on non-harmonically related bands (for example, 15M rejection of the 20M and 10M filters, 10M rejection of the 15M filter). Count on spending about 40 hours to build and align each set of six filters. You'll be winding a lot of coils, doing a fair amount of surface mount soldering, putting the well designed package together, and aligning the filters. I really enjoyed this project, and learned a lot from it.

Array Solutions now offers **Filter Max III**, a ready-built package similar in concept to the Dunestar 600 at a cost of about \$1,250 (including the \$329 Bandmaster Band Decoder). The Elecraft KRC2 Band Decoder (\$160) would work as well. One might hope for performance of the FilterMax III package to lie somewhere between the TXBPF and W3NQN-built implementations.

The **ICE 419-series** of filters are hardly worth considering. Their performance is, in general, significantly poorer than the Dunestars, cost is not a lot less, they have proved unreliable thanks in large part to their use of capacitors with voltage and dissipation ratings insufficient to the task. Another failure mode is the relays, which are difficult to repair or replace.

Single band filters built by W3NQN (\$105-\$125, depending on band) and Dunestar (\$73) are a great option for a multi-multi station where a given operating position is always on the same band (as opposed to buying complete sets for each station). Dunestar's single band filters have the same design, component values, and layouts as their multi-band filter sets, and performance is comparable.

Just as this report was being completed, 5B4AGN sent measurements for three “high power” 4O3A Series L bandpass filters designed for use on the **output** of a power amp. At a cost of \$300 each, they are an interesting alternative to stubs in filtering power amplifier harmonics. One can only guess what “high power” means to 4O3A – the product description on their website doesn't say – but their performance compares well with the 200W-rated filters. .

Stubs: All multi-transmitter stations can benefit from the use of stubs on antenna feedlines to attenuate harmonics of the transmitter, and to provide additional suppression of harmonically related transmitters below the operating frequency. See <http://audiosystemsgroup.com/Coax-Stubs.pdf> Stubs can add to the attenuation provided by filter sets, and they can suppress harmonics generated by the power amplifier, which these bandpass filters cannot. Good stubs typically provide more than 20dB of attenuation, which, if added to the 35 dB attenuation of a filter results in 55 dB total suppression at the stub frequency.

Plots of my measurements of most of the filters can be viewed or downloaded in pdf form at <http://audiosystemsgroup.com/BandpassFilterData.htm> They are worthy of your time to study them.

Thanks to 5B4AGN for a great design, for putting together the kits, for sage advice, and for the 4O3A filter measurements; AD6E for considerable help during construction, ND2T and N6DE for loaning filters, and to 5B4AGN and N6XI for their review of this report.

Attenuation and Insertion Loss in Tabular Form

	160M Filter						
	TXBPF#1	TXBPF#2	W3NQN	Dune#1	Dune#2	ICE#1	ICE#2
Reject 160	X	X	X	X	X	X	X
Reject 80	-47	-46	-50	-35	-35	-18	-17
Reject 40	-71	-71.5	-83	-57	-55	-33	-32
Reject 20	-60	-60.5	-71	-33	-32	-35	-34
Reject 15	-51	-50	-48.5	-24	-23	-38	-27
Reject 10	-70	-71	-39	-19	-19	-23	-23
Insertion	-0.22	-0.2	-0.27	-1	-1.1	-0.33	-0.5

	80M Filter						
	TXBPF#1	TXBPF#2	W3NQN	Dune#1	Dune#2	ICE#1	ICE#2
Reject 160	-42	-42	-51	-54	-56	-29	-29
Reject 80	X	X	X	X	X	X	X
Reject 40	-50	-50	-67	-37	-38	-18	-18
Reject 20	-59	-61	-60	-70	-74	-42	-45
Reject 15	-50	-51	-50	-33	-33	-32	-31
Reject 10	-45	-47	-35	-24	-23	-35	-31
Insertion	0.32	-0.3	-0.47	-0.85	-0.95	-0.28	-0.35

	40M Filter						
	TXBPF#1	TXBPF#2	W3NQN	Dune#1	Dune#2	ICE#1	ICE#2
Reject 160	-70	-69	-69	-47.5	-47	-51	-49
Reject 80	-46	-46	-44	-55	-52	-46	-60
Reject 40	X	X	X	X	X	X	X
Reject 20	-65	-68	-75	-49	-48	-53	-44
Reject 15	-49	-51	-50	-44	-45	-31	-28
Reject 10	-43	-45	-44	-42	-39	-42	-39
Insertion	-0.35	-0.34	-0.44	-0.56	-0.57	-0.64	-1.3

Continued on page 23

	20M Filter							
	TXBPF#1	TXBPF#2	W3NQN	Dune#1	Dune#2	ICE#1	ICE#2	4O3A-L
Reject 160	-88	-83	-44	-48	-47	-48	-45	-70
Reject 80	-64	-65	-39	-42	-41.5	-43	-41	-60
Reject 40	-41	-41	-55	-40	-40.5	-47	-42	-43.5
Reject 20	X	X	X	X	X	X	X	X
Reject 15	-37	-35	-26	-42	-40	-37	-24	-54
Reject 10	-58	-59	-70	-48	-47	-31	-46	-48
Insertion	-0.35	-0.35	-0.32	-0.63	-0.57	-0.75	-0.74	-0.23

	15M Filter							
	TXBPF#1	TXBPF#2	W3NQN	Dune#1	Dune#2	ICE#1	ICE#2	4O3A-L
Reject 160	-82	-84	-90	-50	-50	-47	-43	-90
Reject 80	-88	-80	-85	-44	-44	-40	-37	-90
Reject 40	-65	-65	-62	-39	-39.5	-36	-33	-62
Reject 20	-35	-36	-35.5	-42	-43	-43	-50	-40
Reject 15	X	X	X	X	X	X	X	X
Reject 10	-34	-34	-65	-53	-51	-31	-36	-49
Insertion	-0.6	-0.65	-0.65	-0.8	-0.77	-0.75	-1	-0.46

	10M Filter							
	TXBPF#1	TXBPF#2	W3NQN	Dune#1	Dune#2	ICE#1	ICE#2	4O3A-L
Reject 160	-85	-85	-90	-53	-53	-46	-41	-90
Reject 80	-82	-83	-90	-47	-47	-39	-36	-90
Reject 40	-74	-71	-82	-42.5	-42.5	-35	-31.5	-90
Reject 20	-47	-48	-64	-40	-40.5	-32	-27.5	-70
Reject 15	-26	-27	-60	-36	-38	-38	-44	-42.5
Reject 10	X	X	X	X	X	X	X	X
Insertion	-0.67	-0.7	-0.72	-0.9	-0.8	-1.3	-1.4	-0.7



Please consider writing an article for JUG !

April 2013 Newsletter Deadline—April 8th

This is your newsletter so lets make it something we are proud of. I hope you will consider writing an article for the JUG! Whether its about your station, recent contest experience or a technical article we would appreciate hearing from you.

Send your articles to Ian W6TCP w6tcp@comcast.net

W6T, Top Multi-Multi County Expedition



L-R: N6NU, AA6XV, K6RHO, K6WX, K6YL, N6DQ

ANAHEIM, CA
(Near Disneyland)
933 N. Euclid St., 92801
(714) 533-7373
(800) 854-6046
Janet, KL7MF, Mgr.
anaheim@hamradio.com

BURBANK, CA
1525 W. Magnolia Bl., 91506
(818) 842-1786
(877) 892-1748
Eric, K6EJC, Mgr.
Magnolia between
S. Victory & Buena Vista
burbank@hamradio.com

OAKLAND, CA
2210 Livingston St., 94606
(510) 534-5757
(877) 892-1745
Mark, W17YN, Mgr.
I-880 at 23rd Ave. ramp
oakland@hamradio.com

SAN DIEGO, CA
5375 Kearny Villa Rd., 92123
(858) 560-4900
(877) 520-9623
Jerry, N5MCJ, Mgr.
Hwy. 163 & Claremont Mesa
sandiego@hamradio.com

SUNNYVALE, CA
510 Lawrence Exp. #102
94085
(408) 736-9496
(877) 892-1749
Jon, K6WV, Mgr.
So. from Hwy. 101
sunnyvale@hamradio.com

NEW CASTLE, DE
(Near Philadelphia)
1509 N. Dupont Hwy., 19720
(302) 322-7092
(800) 644-4476
Bill, KA3IXF, Mgr.
RT.13 1/4 mi., So. I-295
delaware@hamradio.com

PORTLAND, OR
11705 S.W. Pacific Hwy.
97223
(503) 598-0555
(800) 765-4267
Bill, K7WCE, Mgr.
Tigard-99W exit
from Hwy. 5 & 217
portland@hamradio.com

DENVER, CO
8400 E. Iliff Ave. #9, 80231
(303) 745-7373
(800) 444-9476
John W01G, Mgr.
denver@hamradio.com

PHOENIX, AZ
10613 N. 43rd Ave., 85029
(602) 242-3515
(800) 559-7388
Gary, N7GJ, Mgr.
Corner of 43rd Ave. & Peoria
phoenix@hamradio.com

ATLANTA, GA
6071 Buford Hwy., 30340
(770) 263-0700
(800) 444-7927
Mark, KJ4VO, Mgr.
Doraville, 1 mi. no. of I-285
atlanta@hamradio.com

WOODBRIDGE, VA
(Near Washington D.C.)
14803 Build America Dr.
22191
(703) 643-1063
(800) 444-4799
Steve, W4SHG, Mgr.
Exit 161, I-95, So. to US 1
virginia@hamradio.com

SALEM, NH
(Near Boston)
224 N. Broadway, 03079
(603) 898-3750
(800) 444-0047
Peter, K11M, Mgr.
Exit 1, I-93,
28 mi. No. of Boston
salem@hamradio.com

12 STORE BUYING POWER



HAM RADIO OUTLET

WORLDWIDE DISTRIBUTION

HRO mobile app available for Android & Apple
Download app at Google Play & Apple App Store

YAESU

The radio



FT-950 HF + 6M Transceiver

• 100W HF/6M • Auto tuner built-in • 3 roofing filters built-in • DMU-2000 compatible

Call Now For Low Pricing!



FT-897D VHF/UHF/HF Transceiver

• HF/6M/2M/70CM • DSP Built-in • HF 100W (20W battery) • Optional P.S. • Tuner • TCXO Built-in

Call Now For Our Low Pricing!



FTM-350AR 2M/440 Dualband

• 50W 2m/440 - 1 watt 220MHz • TNC built-in, Bluetooth capable • Band scope built-in • 500 Memories



FTDX5000MP 200W HF + 6M Transceiver

• Station Monitor SM-5000 (Included) • 0.05ppm OCXO (Included) • 300Hz, 600Hz & 3KHz Roofing filters (Included)



FT-857D Ultra Compact HF/VHF/UHF

• 100w HF/6M, 50W 2M, 20W UHF • DSP included • 32 color display • 200 mems • Detachable front panel (YSK-857 required)

Call For Low Price!



VX-7R/VX-7R Black

50/2M/220/440 HT

• Wideband RX - 900 Memories
• 5W TX (300mw 220MHz) • Li-Ion Battery • Fully Submersible to 3'
• Built-in CTCSS/DCS • Internet WIRES compatible

Now Available in Black!



FTDX-3000 100W HF + 6M Transceiver

• 100 Watt HF/6 Meters • Large and wide color LCD display • High Speed Spectrum Scope built-in • 32 bit high speed DSP /Down Conversion 1st IF

Call For Low Pricing!



FT-7900R 2M/440 Mobile

• 50W 2M, 45W on 440MHz • Weather Alert • 1000+ Memories • WIRES capability • Wideband receiver (cell blocked)

Call Now For Your Low Price!

VX-6R 2M/220/440 HT

• Wideband RX - 900 memories
• 5W 2/440, 1.5W 220 MHz TX • Li-ION Battery - EAI system • Fully submersible to 3 ft. • CW trainer built-in

Now Low Price!



FT-450D 100W HF + 6M Transceiver

• 100W HF/6M • Auto tuner built-in • DSP built-in • 500 memories • DNR, IF Notch, IF Shift

Call Now For Pricing!



FT-8800R 2M/440 Mobile

• V+UV+VU+U operation • V+U full duplex • Cross Band repeater function • 50W 2M 35W UHF • 1000+ memory channels • WIRES ready

Call Now For Low Pricing!



VX-8DR/VX-8GR

50/144/220/440 (VX-8DR)

2M/440 w/built-in GPS (VX-8GR)
• 5W (1W 222 MHz VX-8DR only)
• Bluetooth optional (VX-8DR only)
• Waterproof/submersible (3' for 30 min)
• GPS/APRS operation optional • Li-Ion Hi-capacity battery • Wide band Rx

FT-60R 2M/440 5W HT

• Wide receiver coverage • AM air band receive • 1000 memory channels w/alpha labels • Huge LCD display • Rugged die-cast, water resistant case • NOAA severe weather alert with alert scan



AZ, CA, CO, GA, VA residents add sales tax. Prices, specifications, descriptions, subject to change without notice.

Come visit us online via the Internet at <http://www.hamradio.com>

#1 in Customer Service

COAST TO COAST FREE SHIPPING
UPS - Most Items Over \$100
Rapid Deliveries From The Store Nearest to You!

